

# COMMANDO Scout





## MOBILITY

- High Speed
- Long Range
- Light Weight
- Low Ground Pressure



## RELIABILITY

- Rugged Design
- Proven Components
- Ease of Maintenance



## SURVIVABILITY

- Low Silhouette
- High Agility
- Ballistic Design
- High Hardness Armor



## FIREPOWER

- Machine guns
- Cannons to 30mm
- 40mm Automatic Grenade Launcher
- TOW
- 106mm Recoilless Rifle



# COMMANDO out



# SPECIFICATIONS

## HULL

Unitized Construction of special high hardness armor plate.

## ENGINE

Cummins Diesel V-6, 155 H.P.

## TRANSMISSION

Allison Automatic 4-Speed

## ELECTRICAL

Waterproof 24-volt, with radio suppression.

## AXLES

Single reduction with silent locking differentials.

## SUSPENSION

Swing mounted solid front axle, independent rear axle with coil springs for each wheel.

## POWER BRAKES

Four wheel dual hydraulic.

## POWER STEERING

Integral Hydraulic.

## TIRES

Commando Special "run flat" 15.5 x 21 Tubeless.

## PERFORMANCE

Top Speed (governed) ..... 60 mph  
Fording Depth ..... 46 inches  
Grade ..... 60%  
Side Slope ..... 30%  
Vertical Obstacle ..... To 36 inches  
Operating Range ..... 500 miles

## WEIGHT

Combat (G.V.W.) ..... 13,500 pounds

## CREW

Turret Configuration ..... 2 Man  
Pod Configuration ..... 2 or 3 Man

## DIMENSIONS

Height ..... 81 inches  
Width ..... 85 inches  
Length ..... 185 inches  
Wheelbase ..... 105 inches  
Track ..... 65 inches

## ARMAMENT

Twin .30 cal. or 7.62mm Machine guns  
Combination .30/.50 cal., 7.62mm/.50 cal. or 7.62mm/40mm (MK19) Auto. Grenade Launcher  
Powered Turret — 20mm or 30mm Cannon  
TOW Mount 106mm Recoilless Rifle  
Command Top (pod) with ring mount or pintles

**CADILLAC GAGE COMPANY**



POST OFFICE BOX 1027  
WARREN, MICHIGAN 48090  
TELEPHONE: 313-777-7100  
TELETYPE: 810-226-6939  
CABLE: CADGAGEDET