

Whatever the mission, wherever, whenever

DEFENSE

PANHARD



PVP

PVP is a light armoured vehicle (5.5-ton) dedicated to Command and Liaison missions. Its small size and its 4x4 military chassis provide it with a good mobility in built-up areas and a good all-terrain mobility. Its NATO level 2 (ballistic and mines) armoured hull protects a crew of 2 to 4.

PVP, a multirole vehicle, is also an outstanding homeland security vehicle (PVP MO) or light personnel carrier (PVP APC). More than 1,200 PVPs are currently in service in the French Army, and also in European, South-American, and African countries.







MOBILITY

- 4x4 military chassis with high approach and departure angles for a good all-terrain mobility.
- Agility in complex areas (urban, mountain...) thanks to its small
- 160-hp engine coupled with an automatic gearbox.
- Deployment: air transport by C-130 and A400M.

PROTECTION

- NATO level 2 ballistic protection.
- Protection against AT mines (level 2a) and Improvised Explosive Devices (IEDs).
- RPG protection.
- NBC protection (in option).

MULTIMISSION

- Modular and easily convertible volume (Patented rail system).
- Versions with 2 or 4 side doors.
- New versions : APC (2+6 soldiers), Public Order, Pick-up.





■ VERSIONS



COMMAND & LIAISON

Crew	3	
Size (LxWxH)	4.24 x 2 x 2.18 m	
Internal volume	3.2 m³ behind front seats	
Weapon system	7.62 or 12.7 mm (ring-mounted or remote-controlled)	



LAW INFORCEMENT

Crew	3 or 4	
Size (LxWxH)	4.24 x 2 x 2.18 m	
Internal volume	3.2 m³ behind front seats	
Weapon system	7.62 mm machine gun or tear-gas launcher	
Equipment	Cameras, police light bar & public address, internal fittings for individual tear gas grenade launchers.	





PICK-UP

Crew	2	
Size (LxWxH)	4.24 x 2 x 2.18 m	
Internal volume	3.2 m³ behind front seats	
Weapon system	7.62 ou 12.7 mm (ring-mounted or remote-controlled)	




APC

Crew	2 + 6 (APC) / 2 + 1 + 2 stretchers (ambulance)	
Size (LxWxH)	4.24 x 2 x 2.30 m	
Internal volume	3.5 m³ behind front seats	
Weapon system	7.62 ou 12.7 mm (ring-mounted or remote-controlled)	



■ PERFORMANCES





■ TECHNICAL FEATURES & EQUIPMENTS

	PVP
WEIGHT AND SIZE	
GVW	5.55 t
Maximum payload	1.1 t
Ground clearance	0.34 m
Wheelbase	3 m
DRIVELINE	2
Configuration	Part time 4x4
Engine	lveco F1C (4-cylinder)
Maximum power	160 hp (Euro 3)
Maximum torque	350 N.m. @ 1200 rpm
Gearbox	Automatic (4+1 gears)
Tyres	255/100 R16
CTIS	200/100 1(10
10	•
Cold starting (-32°C)	•
Winch	•
PROTECTION	
Ballistic	N2 NATO
Mines / IED	N2a NATO (Stanag NATO 4569)
NBC protection	•
RPG protection	•
Run-flat tyres	•
Smoke grenade-launcher	•
RCIED jammer	•
EQUIPMENTS	
	2 side doors (+2 optional),
Accessibility	1 rear door, 1 roof hatch
Air conditioning/heating	•
Modular rails	•
C4ISR	
Alternator	150A
Radio	UHF/VHF/HF/PMR
Intercom	•
GPS	•
Battle Management System	
Perimetric surveillance system	
Rear camera	•
Day and night long-distance	<u> </u>
surveillance camera	•
Sniper acoustic detector	•
Police light bar	•
Public address	•
WEAPON SYSTEMS	•
D'	•
7	•
Remote-controlled 7.62 / 12.7 mm	<u> </u>
Tear-gas launcher	•
Firing ports	•













■ LIFECYCLE SUPPORT

RENAULT TRUCKS DEFENSE WORLDWIDE

- 1,500 Renault Trucks service points in 110 countries
- 2,300 Volvo service centres throughout the world

A COMPLETE RANGE OF SUPPORT SERVICES

- Training and technical documentation
- Diagnosis and maintenance
- Spare parts
- Assistance









11/2013 - RENAULT TRUCKS DEFENSE SAS AU CAPITAL DE 28 016 640 Euros - This document is for information purposes only. Pictures, sizes, features and equipment are for information only, and they have no contract value. The manufacturer may bring in changes without any warning. real vision onto 19 was a process without any warning. real vision of they have no contract value. The manufacturer may bring in changes without any warning. real vision of 19 was a process only. Pictures, sizes, features and equipment are for information only, and they have no contract value.